

Pribori s „Anfor“ spojnicama

ART. A57+A56



Giunto sferico completo di guarnizione, grezzo

Raw complete spherical quick coupling with O-ring

Raccord sphérique complet avec joint, noir

Kompl. Kugelkupplungen mit Dichtung, schwarz

Enlace a rótula con junta de goma, en negro

DIMENSIONI
DIMENSION

MASSIMA PRESSIONE DI ESERCIZIO
MAX WORKING PRESSURE

Ø	[bar]	[psi]
60	19	257
80	16	232
100	14	203
120	13	188
150	11	159

ART. A57



Semigiunto sferico femmina, completo di guarnizione, grezzo

Raw female coupling with O-Ring

Raccord femelle noir avec joint

M-Teil Gegenkugel mit O-Ringdichtungen, schwarz

Enlace a rótula hembra en negro con junta tórica

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
A0057.060.01G	60
A0057.080.01G	80
A0057.100.01G	100
A0057.120.01G	120
A0057.150.01G	150

ART. A56



Semigiunto sferico maschio, grezzo

Raw male coupling

Raccord mâle, noir

V-Teil Kugelkupplung, schwarz

Enlace a rótula macho en negro

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
A0056.060.01G	60
A0056.080.01G	80
A0056.100.01G	100
A0056.120.01G	120
A0056.150.01G	150

Pribori s „Anfor“ spojnicama

ART. A109



Semigiunto sferico femmina a 3 ganci, completo di guarnizione, grezzo

Raw female coupling with O-Ring and 3 hooks

Raccord femelle noir avec joint et 3 crochets

M-Teil Gegenkugel mit O-Ringdichtungen und 3 Haken, schwarz

Enlace a rótula hembra en negro con junta tórica y 3 ganchos

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
A0109.060.01G	60
A0109.080.01G	80
A0109.100.01G	100
A0109.120.01G	120
A0109.150.01G	150

ART. A110



Guarnizione di ricambio per giunto sferico

O-Ring spare part

Joint en caoutchouc

Ersatz Gummi-Dichtungsring

Junta tórica de repuesto

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
A0110.060.01G	60
A0110.080.01G	80
A0110.100.01G	100
A0110.120.01G	120
A0110.150.01G	150

ART. A47



Semigiunto femmina sferico con manicotto portagomma

Female coupling with hose tail

Raccord femelle avec manchon cannelé

M-Teil Gegenkugel mit Schlauchtülle

Enlace a rótula hembra para manguera

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
A0047.080.01A	80
A0047.100.01A	100
A0047.120.01A	120
A0047.150.01A	150

Pribori s „Anfor“ spojnicama

ART. A77

CODICE
CODE

DIMENSIONI
DIMENSION



Semigiunto sferico femmina con canotto portagomma

Female coupling with hose tail

Raccord femelle avec manchon cannelé

M-Teil Gegenkugel mit Schlauchtülle

Enlace a rótula hembra para manguera

	Ø
A0077.100.01A	100
A0077.120.01A	120
A0077.120.03A	120 x 120
A0077.120.04A	120 x 125
A0077.150.01A	150

ART. A77T

CODICE
CODE

DIMENSIONI
DIMENSION



Semigiunto sferico femmina con canotto portagomma tornito

Female coupling with turned hose tail

Raccord femelle avec manchon cannelé tourné

M-Teil Gegenkugel mit gedrehter Schlauchtülle

Enlace a rótula hembra para manguera torneado

	Ø
A077T.100.01A	100 x 100
A077T.120.01A	120 x 120
A077T.120.02A	120 x 102

ART. A78

CODICE
CODE

DIMENSIONI
DIMENSION



Semigiunto sferico maschio con canotto portagomma

Male coupling with hose tail

Raccord mâle, noir avec manchon cannelé

V-Teil Kugel mit Schlauchtülle

Enlace a rótula macho para manguera

	Ø
A0078.100.01A	100
A0078.120.01A	120
A0078.150.01A	150

Pribori s „Anfor“ spojnicama

ART. A40



Tappo femmina sferico

Female end plug

Bouchon femelle

M-Teil Endstopfen

Tapon hembra

CODICE
CODE

DIMENSIONI
DIMENSION

GANCI
HOOKS

	Ø	
A0040.060.01A	60	2
A0040.080.01A	80	2
A0040.100.01A	100	2
A0040.120.01A	120	2
A0040.150.01A	150	2
A0040.100.02A	100	3
A0040.120.02A	120	3
A0040.150.02A	150	3

ART. A53



Tappo maschio sferico con maniglia

Male end plug with handle

Bouchon mâle avec poignée

V-Teil Endstopfen mit Griff

Tapón macho con manija

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
A0053.060.01A	60
A0053.080.01A	80
A0053.100.01A	100
A0053.120.01A	120
A0053.150.01A	150

ART. A46B



Maggiorazione per cambio di diametro con giunto sferico

Increaser connector with couplings

Diffuseur avec raccords

Erweiterungsstück mit Kugelpkupplungen

Aumento de diámetro con enlaces a rótula

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
A046B.120.01A	120 x 100
A046B.150.01A	150 x 120

Pribori s „Anfor“ spojnicama

ART. A46



Riduzione per cambio di diametro con giunto sferico

Reducer connector with couplings

Réduction avec raccords

Reduziertstück mit Kugelkupplungen

Reductor de diámetro con enlaces a rótula

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
A0046.150.01A	120 x 100
A0046.200.01A	150 x 120

ART. A52



Semigiunto sferico femmina con tronchetto filettato maschio

Male threaded fitting with female coupling

Raccord femelle avec manchon fileté mâle

M-Teil Kugelkupplung mit V-Teil Gewinde

Hembra con rosca exterior

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
A0052.060.01A	60 x 2"
A0052.080.01A	80 x 3"
A0052.100.01A	100 x 4"
A0052.120.01A	120 x 4"
A0052.150.01A	150 x 6"

ART. A51



Semigiunto sferico maschio con tronchetto filettato maschio

Threaded fitting with male coupling

Raccord mâle fileté

V-Teil Kugelkupplung mit Aussengewinde

Macho con rosca

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
A0051.060.01A	60 x 2"
A0051.080.01A	80 x 3"
A0051.100.01A	100 x 3"
A0051.100.02A	100 x 4"
A0051.120.01A	120 x 4"
A0051.120.02A	120 x 5"
A0051.150.01A	150 x 6"

Pribori s „Anfor“ spojnicama

ART. A41



Curva con giunto sferico

Bend with quick coupling

Coude avec raccord sphérique

Bogen mit Kupplung

Curva con enlace esférico

CODICE
CODE

CURVA
ELBOW

DIMENSIONI
DIMENSION

		Ø
A0041.100.01A	90°	100
A0041.120.01A	90°	120
A0041.150.01A	90°	150
A041B.100.01A	45°	100
A041B.120.01A	45°	120
A041B.150.01A	45°	150

ART. A41/3G



Curva con giunto sferico a 3 ganci

Bend with quick coupling and 3 hooks

Coude avec raccord sphérique et 3 crochets

Bogen mit Kupplung und 3 Haken

Curva con enlace esférico y 3 ganchos

CODICE
CODE

CURVA
ELBOW

DIMENSIONI
DIMENSION

		Ø
A0041.120.02A	90°	120
A0041.150.02A	90°	150

Pribori s „Anfor“ spojnica

ART. A54



Semigiunto sferico maschio con flangia DN

Male coupling with DN flange

Raccord mâle avec bride DN

V-Teil Kugelkupplung mit DN Flansch

Macho con brida DN

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø	DN (*)
A0054.120.01A	120	DN 100
A0054.120.02A	120	DN 125
A0054.120.04A	120	DN 150
A0054.150.02A	150	DN 100
A0054.150.03A	150	DN 125
A0054.150.05A	150	DN 150
A0054.150.07A	150	DN 200

ART. A54B



Semigiunto sferico femmina con flangia DN

Female coupling with DN flange

Raccord femelle avec bride DN

MT kupplungen mit DN Flansch

Hembra con brida DN

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø	DN (*)
A54BD120DN100	120	DN 100
A54BD120	120	DN 125
A054B.120.01A	120	DN 150
A54BD150DN100	150	DN 100
A54BD150DN125	150	DN 125
A054B.150.01A	150	DN 150
A54BD150DN200	150	DN 200

(*) Consultare la tabella dimensionale "Flange piane a saldare" a pagina n° 187

Consult the "Black steel weld-on flange" dimensions chart on page 187 / Voir le tableau des dimensions des « Brides en acier noir à souder » à la page 187 / Siehe die Tabelle der Abmessungen « Schwarze Flanschstopfen » auf Seite 187 / Consultar el cuadro de la dimensiones de la "Brida en negro para soldar" a la página 187



Pribori s „Anfor“ spojnicama

ART. A45



Collo a cigno di mandata con giunto sferico in linea e giunto sferico femmina

Swan-neck delivery with female coupling and 3 hooks

Col de cygne pour de refoulement avec raccord femelle à 3 crochets

Auslas Schwanenhals mit M-Teil Kugelkupplung und 3 Haken

Cuello de cisne con hembra y 3 ganchos

CODICE
CODE

DIMENSIONI
DIMENSION

Normale / Normal	Ø
A0045.120.01A	120
A0045.150.01A	150
Alto / High	Ø
A0045.120.02A	120
A0045.150.02A	150

ART. A59



Tubo con giunto sferico

Pipe with couplings

Tube avec raccords

Rohr mit Kugelkupplungen

Tubo con enlaces esferico

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø	L [mm]
A0059.120.01A	120	2000
A0059.150.01A	150	2000
A0059.120.02A	120	3000
A0059.150.02A	150	3000

Altre misure su richiesta

Special dimensions available / Dimensions personnalisées disponibles

Na zahtjev su moguće posebne dimenzije.

Pribori s „Anfor“ spojnicama

ART. A162

CODICE
CODE

DIMENSIONI
DIMENSION



Valvola di fondo con semigiunto sferico maschio

Foot valve with male coupling

Valve de fond avec raccord male

Fussventil mit VT-Kugelumfassung

Válvula de pie con con enlace a rótula macho

	Ø
A0162.120.01A	120
A0162.150.01A	150
A0162.200.01A	200 x 150

ART. A165

CODICE
CODE

DIMENSIONI
DIMENSION



Valvola di fondo con curva e semigiunto sferico maschio

Foot valve with bend and male coupling

Valve de fond avec coude et raccord male

Fussventil mit Boden und VT-Kugelumfassung

Válvula de pie con curva y enlace a rótula macho

	Ø
A0165.120.01A	120
A0165.150.01A	150

ART. A169F

CODICE
CODE

DIMENSIONI
DIMENSION



Filtro con asola 20x90 con femmina "ANFOR"

Strainer with "ANFOR" female coupling - hole: 20x90

Filtre pour raccord femelle type "ANFOR" - boucle 20x90

Filter mit typ-"ANFOR" M-Teil kugelumfassung - Loch: 20x90

Filtro con enlace a rótula hembra tipo "ANFOR" - ojal 20x90

	Ø
A169F.150.01A	150