

Usisna sita za samousisne pumpe

BACK TO
INDEX

Strainers for self-priming pumps

Filtres pour pompes
autoamorçables

Filters für selbstansaugende
Pumpen

Filtros para bombas
autoaspirantes



Usisna sita za samousisne pumpe

ART. 269

CODICE
CODE

DIMENSIONI
DIMENSION



Filtro per pompa con tubo interno

Pump strainer with inner tube

Filtre pour pompe avec tube à l'intérieur

Filter für Pumpe mit Innenrohr

Filtro para bomba con manguera interior

	Ø
G0269.040.01D	40
G0269.045.01D	45
G0269.050.01D	50
269D055	55
G0269.060.01D	60
G0269.070.01D	70
G0269.076.01D	76

Zincatura elettrolitica

Zinc electroplated

Zingage électrolytique

Galvanisch verzinkt

Galvanizado en frío

ART. 269

CODICE
CODE

DIMENSIONI
DIMENSION



Filtro per pompa con tubo interno

Pump strainer with inner tube

Filtre pour pompe avec tube à l'intérieur

Filter für Pumpe mit Innenrohr

Filtro para bomba con manguera interior

	Ø
G0269.080.01D	80
G0269.089.01A	89
G0269.100.01A	100
G0269.110.01A	108
G0269.120.01A	120
G0269.125.01A	125
G0269.150.01A	150
G0269.200.01A	200
G0269.250.01A	250
269D300	300

Zincatura a caldo

Hot dip galvanizing

Galvanisation à chaud

Feuerverzinkung

Galvanizado en caliente

Usisna sita za samouisne pompe

ART. 269B



Filtro per pompa con semigiunto sferico femmina

Pump strainer with female coupling

Filtre pour pompe avec raccord femelle

Filter für Pumpe mit M-Teil Kugelkupplung

Filtro para bomba con enlace a rótula hembra

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
S269B.080.01A	80
S269B.100.01A	100
S269B.120.01A	120
S269B.150.01A	150
A269B.150.01A	(*) 150
S269B.200.01A	200

(*) Raccordo tipo "Anfor" / "Anfor" coupling

ART. 269A



Filtro per pompa con semigiunto sferico maschio

Pump strainer with male coupling

Filtre pour pompe avec raccord mâle

Filter für Pumpe mit V-Teil Kugelkupplung

Filtro para bomba con enlace a rótula macho

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
S269A.060.01A	60
S269A.080.01A	80
S269A.100.01A	100
S269A.120.01A	120
S269A.150.01A	150
S269A.200.01A	200

Usisna sita za samousisne pumpe

ART. 469



Filtro con tronchetto filettato

Strainer with male threaded fitting

Filtre avec manchon fileté male

Filter mit Aussengewinde

Filtro con rosca macho

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
G0469.P12.01D	1"1/2
G0469.P14.01D	2"
G0469.P17.01D	2"1/2
G0469.P19.01D	3"
G0469.P21.01D	4"

Zincatura elettrolitica

Zinc electroplated

Zingage électrolytique

Galvanisch verzinkt

Galvanizado en frío

ART. 569



Filtro con manicotto filettato

Strainer with female threaded fitting

Filtre avec manchon fileté femelle

Filter mit M-Teil Gewinde

Filtro con rosca hembra

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
G0569.P12.01D	1"1/2
G0569.P14.01D	2"
G0569.P17.01D	2"1/2
G0569.P19.01D	3"
G0569.P21.01D	4"
G0569.P23.01G	5"
G0569.P25.01D	6"

Zincatura elettrolitica

Zinc electroplated

Zingage électrolytique

Galvanisch verzinkt

Galvanizado en frío

Usisna sita za samousisne pumpe

ART. 169

CODICE
CODE

DIMENSIONI
DIMENSION



Filtro con asole 20x90 con portagomma

Strainer with hosetail: hole 20x90

Filtre avec manchon cannelé: boucle 20x90

Filter mit Schlauchtülle - Loch: 20x90

Filtro para manguera: ojal 20x90

	Ø	h [mm]
G0169.076.01A	76	125
G0169.080.01A	80	125
G0169.100.01A	100	125
G0169.120.01A	120	125
G0169.150.01A	150	250
G0169.200.01A	200	250
G0169.250.01A	250	250
G0169.300.01A	300	250

h [mm] Altezza / Height

ART. 169F

CODICE
CODE

DIMENSIONI
DIMENSION



Filtro con asole 20x90 con femmina

Strainer with female coupling - hole 20x90

Filtre avec raccord femelle - boucle 20x90

Filter mit M-Teil Kugelkupplung - Loch 20x90

Filtro con enlace a rótula hembra - ojal 20x90

	Ø	h [mm]
S169F.080.01A	80	125
S169F.100.01A	100	125
S169F.120.01A	120	125
S169F.150.01A	150	250
A169F.150.01A	(*) 150	250
S169F.200.01A	200	250
S169F.250.01A	250	250

(*) Raccordo tipo "Anfor" / "Anfor" coupling

h [mm] Altezza / Height

Usisna sita za samousisne pumpe

ART. 269P



Filtro per pompa con giunto femmina tipo "PERROT"

Pump strainer with type "PERROT" female coupling

Filtre pour pompe avec raccord femelle type "PERROT"

Filter für Pumpe mit M-Teil Kugelukplung Typ "PERROT"

Filtro para bomba con enlace a rótula hembra tipo "PERROT"

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
C269F.100.01A	108
C269F.150.01A	159

ART. 269P.01



Filtro per pompa con giunto maschio tipo "PERROT"

Pump strainer with type "PERROT" male coupling

Filtre pour pompe avec raccord male type "PERROT"

Filter für Pumpe mit V-Teil Kugelukplung Typ "PERROT"

Filtro para bomba con enlace a rótula macho tipo "PERROT"

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
269PD100.01	108
269PD150.01	159

Usisna sita za samousisne pumpe

ART. B369M



Filtro con semigiunto maschio tipo "BAUER"

Strainer for pump with "BAUER" male coupling

Filtre pour raccord mâle type "BAUER"

Filter mit typ-"BAUER" V-Teil Kugelkupplung

Filtro con enlace a rótula macho tipo "BAUER"

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
B369M.108.01A	108
B369M.133.01A	133
B369M.159.01A	159

ART. B469CLQZ



Filtro per drenaggio con giunto maschio tipo "BAUER"

Draining strainer with "BAUER" male coupling

Filtre de drainage pour raccord mâle type "BAUER"

Filter für die Drainage mit typ-"BAUER" V-Teil Kugelkupplung

Filtro de drenaje con a rótula macho tipo "BAUER"

CODICE
CODE

DIMENSIONI
DIMENSION

	Ø
B469CLD108QZ	108
B469CLD133QZ	133
B469CLD159QZ	159

Usisna sita za samousisne pumpe

ART. 969



Succheruola a cuneo con raccordo filettato femmina

Strainer with female threaded fitting

Filtre avec manchon fileté femelle

Filter mit M-Teil Gewinde

Filtro con rosca interior

CODICE
CODE

DIMENSIONI
DIMENSION

CODICE CODE	DIMENSIONI DIMENSION
G0969.P19.01D	Ø 3"
G0969.P21.01D	4"

ART. 968



Succheruola a cuneo SMALL con manicotto portagomma

Strainer with SMALL hose tail

Filtre avec manchon canneté SMALL

Filter mit Schlauchtülle SMALL

Filtro con caña para manguera SMALL

CODICE
CODE

DIMENSIONI
DIMENSION

CODICE CODE	DIMENSIONI DIMENSION
G0968.080.01D	Ø 80
G0968.100.01D	100

I nostri filtri speciali

Our unique and customized strainers

Nos filtres personnalisés sur mesure

Unsere maßgeschneiderte Filters

Nuestros filtros fabricados a medida



specijalizirana proizvodnja opreme i armatura za navodnjavanje

- zadovoljavanje rastućih zahtjeva tržišta za visokokvalitetnim proizvodima, pružanje široke palete opreme za navodnjavanje zajedno s jedinstvenim rasponom standardnih i prilagođenih armatura kako bi se zadovoljile potrebe bilo kojeg kupca