

Pribori sa brzim spojnicama

BACK TO
INDEX

Accessories with quick-couplings

Raccords rapides

Zubehör mit schnellanschluß

Accesorios de conexión rápida



Pribori sa brzim spojnicama

ART. 12/SN



Semigiunto rapido femmina senza guarnizione, grezzo

Raw female quick-coupling without gasket

Raccord femelle rapide noir sans joint

Schnell M-Teil kugelkupplung ohne Dichtung

Enlace a rótula hembra de conexión rápida sin junta

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H0012.050.01G | 50 |
| 12D60SN | 60 |
| 12D76SN | 76 |
| H0012.080.01G | 80 |
| H0012.100.01G | 100 |
| H0012.120.01G | 120 |
| H0012.150.01G | 150 |

ART. 12



Semigiunto rapido femmina grezzo con nasello e guarnizione

Raw female quick-coupling with hook and gasket

Raccord femelle rapide noir avec crochet et joint

Schnell M-Teil kugelkupplung mit Haken un Dichtung, schwarz

Enlace a rótula hembra de conexión rápida en negro con gancho y junta

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H0012.060.02G | 60 |
| 12D80 | 80 |
| H0012.100.02G | 100 |
| H0012.120.02G | 120 |
| H0012.150.02G | 150 |

ART. 111



Guarnizione di ricambio per giunto rapido

Gasket spare part for quick-coupling

Joint pour raccord rapide

Ersatz Dichtung für schnell Kupplung

Junta de repuesto para conexión rápida

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H0111.050.01G | 50 |
| H0111.060.01G | 60 |
| H0111.076.01G | 76 |
| H0111.080.01G | 80 |
| H0111.100.01G | 100 |
| H0111.120.01G | 120 |
| H0111.150.01G | 150 |
| H0111.200.01G | 200 |

Pribori sa brzim spojnica

ART. 29



Semigiunto rapido maschio, grezzo

Raw male quick-coupling

Raccord male rapide noir

Schnell V-Teil kugelpkupplung, schwarz

Enlace a rótula macho de conexión rapida en negro

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H0029.060.01G | 60 |
| 29D80 | 80 |
| H0029.100.01G | 100 |
| H0029.120.01G | 120 |
| H0029.150.01G | 150 |

ART. 29/R



Semigiunto rapido maschio rastremato, grezzo

Reduced raw male quick-coupling

Raccord male rapide noir réduit

Schnell V-Teil kugelpkupplung reduziert, schwarz

Enlace a rótula macho de conexión rapida reducida en negro

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H0029.080.02G | 80 |
| H0029.100.02G | 100 |
| H0029.120.02G | 120 |
| H0029.150.02G | 150 |

ART. 7



Derivazione a se stante con giunto rapido

Tee single offtake with quick-coupling

Dérivation à T avec raccord rapide

Abzweig T-stück mit schnell Kupplung

Derivación en línea con conexión rapida

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----------------|
| H0007.080.01A | 80 x 80 x 80 |
| H0007.080.02A | 80 x 60 x 80 |
| H0007.080.03A | 80 x 100 x 80 |
| H0007.100.01A | 100 x 100 x 100 |
| H0007.100.02A | 100 x 60 x 100 |
| H0007.100.03A | 100 x 80 x 100 |
| H0007.120.01A | 120 x 120 x 120 |
| H0007.120.02A | 120 x 60 x 120 |
| H0007.120.03A | 120 x 100 x 120 |

Pribori sa brzim spojnicama

ART. 7B



Derivazione a se stante con raccordo filettato maschio e giunto rapido

Tee single offtake with threaded male and quick-coupling

Dérivation à T avec mâle fileté et raccord rapide

Abzweig T-stück mit V-Teilgewinde und schnell Kupplung

Derivación en línea con macho con rosca y conexión rápida

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-------------------|
| H007B.080.01A | 80 x 1" x 80 |
| H007B.100.01A | 100 x 1" x 100 |
| H007B.100.02A | 100 x 1"1/4 x 100 |
| H007B.100.03A | 100 x 1"1/2 x 100 |
| H007B.120.01A | 120 x 1"1/2 x 120 |

ART. 17



Deviazione a se stante con semigiunto sferico maschio in uscita

Tee single offtake with male coupling outlet

Dérivation à T avec raccord male à la sortie

Abzweig T-stück mit V-Teil KugelKupplung

Derivación en línea con salida enlace a rótula macho

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H0017.080.01A | 80 |
| H0017.100.01A | 100 |
| H0017.120.01A | 120 |

ART. 11



Riduzione per cambio di diametro con giunto rapido

Reducer connector with quick-coupling

Réduction avec raccord rapide

Reduziertstück mit schnell Kupplung

Reductor de diámetro con conexión rápida

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----------|
| H0011.080.01A | 80 x 60 |
| H0011.100.01A | 100 x 80 |
| H0011.120.01A | 120 x 100 |

Pribori sa brzim spojnicama

ART. 11B



Maggiorazione per cambio di diametro con giunto rapido

Increaser connector with quick-coupling

Diffuseur avec raccord rapide

Erweiterungsstück mit schnell Kupplung

Aumento de diámetro con conexión rápida

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----------|
| H011B.100.01A | 100 x 80 |
| H011B.120.01A | 120 x 100 |

ART. 12B



Semigiunto femmina rapido con portagomma

Female quick-coupling with hose tail

Raccord femelle rapide avec manchon cannelé

Schnell M-Teil kugelpkupplung mit Schlauchtülle

Enlace a rótula hembra con caña para manguera

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H012B.080.01A | 80 |
| H012B.100.01A | 100 |
| H012B.120.01A | 120 |

ART. 12B3



Semigiunto femmina rapido con portagomma, 3 bordi

Female quick-coupling with 3 ridges hose tail

Raccord femelle rapide avec manchon cannelé à 3 bords

Schnell M-Teil kugelpkupplung mit Schlauchtülle mit 3 Kanten

Enlace a rótula hembra con caña para manguera con 3 bordes

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H12B3.080.01A | 80 |
| H12B3.100.01A | 100 |
| H12B3.120.01A | 120 |

Pribori sa brzim spojnicama

ART. 29B



Semigiunto rapido maschio con canotto portagomma

Male quick-coupling with hose tail

Raccord mâle rapide avec manchon cannelé

Schnell V-Teil kugelkupplung mit Schlauchtülle

Enlace a rótula macho con caña para manguera

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H029B.080.01A | 80 |
| H029B.100.01A | 100 |
| H029B.120.01A | 120 |

ART. 29B3



Semigiunto rapido maschio con canotto portagomma, 3 bordi e 2 anelli

Male quick-coupling with 3 ridges hose tail and 2 rings

Raccord mâle rapide avec manchon cannelé à 3 bords et 2 crochets

Schnell M-Teil kugelkupplung mit Schlauchtülle mit 3 Kanten und 2 Haken

Enlace a rótula hembra con caña para manguera con 3 bordes y 2 ganchos

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H29B3.080.01A | 80 |
| H29B3.100.01A | 100 |
| H29B3.120.01A | 120 |

ART. 12C



Semigiunto femmina rapido con filetto maschio

Female quick-coupling with male threaded fitting

Raccord femelle rapide avec manchon fileté mâle

Schnell M-Teil kugelkupplung mit V-Teilgewinde

Enlace a rótula hembra con rosca exterior

CODICE
CODE

DIMENSIONI
DIMENSION

NASELLI
NOSE PADS

| | Ø | N° |
|---------------|------------|----|
| H012C.060.01A | 60 x 1"1/2 | 2 |
| H012C.080.01A | 80 x 2"1/2 | 1 |
| H012C.080.02A | 80 x 3" | 1 |
| 12CD100X2 | 100 x 2" | 1 |
| H012C.100.01A | 100 x 3" | 1 |
| H012C.100.02A | 100 x 4" | 1 |
| H012C.100.03A | 100 x 4" | 2 |
| H012C.100.04A | 100 x 4" | 3 |
| H012C.100.05A | 100 x 5" | 2 |
| H012C.120.01A | 120 x 4" | 1 |
| H012C.120.02A | 120 x 5" | 2 |

Pribori sa brzim spojnicama

ART. 29C



Semigiunto rapido maschio con filetto maschio

Male quick-coupling with male threaded fitting

Raccord male rapide avec manchon fileté mâle

Schnell V-Teil kugelkupplung mit V-Teilgewinde

Erlace a rótula macho con rosca exterior

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|------------|
| H029C.080.01A | 80 x 2"1/2 |
| H029C.080.02A | 80 x 3" |
| H029C.100.02A | 100 x 3" |
| H029C.100.03A | 100 x 4" |
| H029C.120.01A | 120 x 4" |
| H029C.120.02A | 120 x 5" |

ART. 9



Tappo per derivazione rapido

Tee single offtake plug

Bouchon pour dérivation à T

Verschluss für Abzweig T-stück

Tapón por derivación en línea

CODICE
CODE

DIMENSIONI
DIMENSION

ANELLI
RINGS

| | Ø | N° |
|---------------|-----|----|
| H0009.060.01A | 60 | 2 |
| H0009.080.01A | 80 | 3 |
| H0009.100.01A | 100 | 3 |
| H0009.120.01A | 120 | 3 |

ART. 18



Tappo di fondo rapido

End plug

Bouchon

V-Teil Endstopfen

Tápon

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H0018.060.01A | 60 |
| H0018.080.01A | 80 |
| H0018.100.01A | 100 |
| H0018.120.01A | 120 |
| 18D150 | 150 |

Pribori sa brzim spojnicama

ART. 10



Tappo per derivazione rapido con uscita filettata maschio

Tee single offtake plug with threaded male outlet

Bouchon pour dérivation à T avec mâle fileté à la sortie

Verschluss für Abzweig T-stück mit V-Teilgewinde

Tapón por derivación en línea con salida macho con rosca

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø | h [mm] |
|---------------|--------------|--------|
| H0010.100.01A | 100 x 1" | 100 |
| H0010.100.02A | 100 x 1" (*) | 100 |
| H0010.100.03A | 100 x 1"1/4 | 100 |
| H0010.100.04A | 100 x 1"1/2 | 100 |
| H0010.100.05A | 100 x 1"1/4 | 200 |
| H0010.100.06A | 100 x 1"1/2 | 200 |
| H0010.100.09A | 100 x 1"1/4 | 500 |
| H0010.100.10A | 100 x 1"1/2 | 500 |

(*) Femmina / Female

h [mm] Altezza / Height

ART. 13



Curva a 90° con giunto rapido

90° bend with quick-coupling

Coude à 90° avec raccord rapide

Bogen 90° mit schnell Kupplung

Curva 90° con conexión rapida

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|--------------|-----|
| H013.080.01A | 80 |
| H013.100.01A | 100 |
| H013.120.01A | 120 |

ART. 13B



Curva a 45° con giunto rapido

45° bend with quick-coupling

Coude à 45° avec raccord rapide

Bogen 45° mit schnell Kupplung

Curva 45° con conexión rapida

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H013B.080.01A | 80 |
| H013B.100.01A | 100 |
| H013B.120.01A | 120 |

Pribori sa brzim spojnicama

ART. 14



Derivazione laterale con giunto rapido

Side Tee offtake with quick-coupling

Dérivation à T latérale avec raccord rapide

Seitliche Abzweigstück mit schnell Kupplung

Derivación lateral con conexión rápida

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----------|
| H0014.080.01A | 80 |
| H0014.100.01A | 100 |
| H0014.100.02A | 100 x 80 |
| H0014.100.03A | 100 x 4" |
| H0014.120.01A | 120 |
| H0014.120.02A | 120 x 80 |
| H0014.120.03A | 120 x 100 |

ART. 15



Biforcazione a "T" con giunto rapido

Tee head with quick coupling

Dérivation à coude avec raccord rapide

T-Gabelung mit schnell Kupplung

Derivación doble con conexión rápida

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----------|
| H0015.080.01A | 80 |
| H0015.100.01A | 100 |
| H0015.120.01A | 120 |
| H0015.120.02A | 120 x 100 |

ART. 16



Diramazione a 4 vie con giunto rapido

4-way Tee with quick coupling

Dérivation à 4 voies avec raccord rapide

4-Wege-Verteiler mit schnell Kupplung

Cruz con conexión rápida

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|----------|
| H0016.080.01A | 80 |
| H0016.100.01A | 100 |
| H0016.120.01A | 120 |
| H0016.120.02A | 120 x 80 |

Pribori sa brzim spojnicama

ART. 23



Collo a cigno di mandata con giunto rapido in linea e giunto sferico femmina

Swan-neck delivery with quick-coupling and female coupling

Col de cygne pour le refoulement avec raccord rapide et raccord femelle

Auslas Schwanenhals mit schnell Kupplung und MT-Kugelkupplung

Cuello de cisne con conexión rápida y enlace a rótula hembra

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----------|
| H0023.080.01A | 80 |
| H0023.100.01A | 100 |
| H0023.120.01A | 120 |
| H0023.150.01A | 150 |
| H0023.120.03A | 120 x 100 |

ART. 24



Invertitore di linea rapido

Line reverser

Inverseur de ligne

Wechselrichter

Inversor en línea

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H0024.080.01A | 80 |
| H0024.100.01A | 100 |
| H0024.120.01A | 120 |

ART. 26



Invertitore da giunto rapido maschio a giunto sferico maschio

Reverser from male quick-coupling to male coupling

Inverseur de raccord rapide mâle à raccord mâle

Wechsel von schnell V-Teil Kupplung bis V-Teil Kugelkupplung

Inversor de conexión rápida a enlace a rótula macho

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----|
| H0026.080.01A | 80 |
| H0026.100.01A | 100 |
| H0026.120.01A | 120 |

Pribori sa brzim spojnica

ART. 27



Invertitore da giunto rapido femmina a giunto sferico femmina

Reverser from female quick-coupling to female coupling

Inverseur de raccord rapide femelle à raccord femelle

Wechsel von schnell M-Teil Kugelkupplung bis M-Teil Kugelkupplung

Inversor de conexión rápida a enlace a rótula hembra

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----------|
| S0027.100.01A | 100 x 80 |
| S0027.100.02A | 100 |
| S0027.120.01A | 120 |
| S0027.120.02A | 120 x 100 |

ART. 27/3GG



Invertitore da giunto rapido femmina a giunto sferico femmina, 3 ganci

Reverser from female quick-coupling to female coupling with 3 hooks

Inverseur de raccord rapide femelle à raccord femelle avec 3 crochets

Wechsel von schnell M-Teil Kugelkupplung bis M-Teil Kugelkupplung mit 3 Haken

Inversor de conexión rápida a enlace a rótula hembra con 3 ganchos

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø |
|---------------|-----------|
| S0027.100.03A | 100 |
| S0027.120.03A | 120 |
| S0027.120.04A | 120 x 100 |

ART. 61



Tubo rapido zincato completo di guarnizione

Hot-dip galvanized pipe with quick couplings

Tube galvanisé à chaud avec raccords rapides

Feuerverzinkt Rohr mit schnell Kupplungen

Tubo galvanizado en caliente con conexión rápida

CODICE
CODE

DIMENSIONI
DIMENSION

| | Ø | L [mm] |
|---------------|-----|--------|
| H0061.100.01A | 100 | 2000 |
| H0061.120.01A | 120 | 2000 |
| H0061.100.02A | 100 | 3000 |
| H0061.120.02A | 120 | 3000 |

L [mm] Lunghezza / Length

Pribori sa brzim spojnicama

ART. 25

CODICE
CODE

DIMENSIONI
DIMENSION



Tappo per derivazione con tubo per irrigatori e crociera di sostegno

Tripod for sprinkler with tee single offtake plug

Trépied pour arroseur avec bouchon pour dérivation à T

Stative für Beregner mit Verschluss für Abzweig T-stück

Trípode para aspersor con tapón por derivación en línea

| | Ø | h [mm] |
|---------------|-------------|--------|
| H0025.100.01A | 100 x 1"1/4 | 500 |
| H0025.100.02A | 100 x 1"1/2 | 500 |

h [mm] Altezza / Height

ART. 20

CODICE
CODE



Nasello

Retaining hook

Crochet de retenue

Haltehaken

Gancho de fijación

G0020.000.01G

ART. 21

CODICE
CODE



Anello con cavallotto

Ring with connecting plate

Collier avec plaque de raccordement

Ring mit Verbindungsplatte

Anillo con placa de conexión

G0021.000.01G

ART. 21B

CODICE
CODE



Anello con piastrina per tappo

Ring with connecting plate for plug

Collier avec plaque de raccordement pour le bouchon

Ring mit Verbindungsplatte für Verschluss

Anillo con placa de conexión por tapón

G021B.000.01G

